



Radiata Pine Decorative

Manufactured exclusively from NZ Radiata Pine. The face veneer has a bold wood character and can be specified as either one face (SD) or two face (SS). Plytech Radiata Decorative allows for a wide range of applications.

Also available clear treated with H3.1 LOSP.

KEY FEATURES

- Pale-yellow to pinkish-brown in colour
- Figured grain and uniform texture
- Can be specified as either one face (SD) or two face (SS)

DIMENSIONS

2400 x 1200mm – 4mm/3ply, 7mm/5ply, 9mm/5ply, 12mm/5ply, 15mm/5ply, 17mm/7ply, 19mm/9ply, 21mm/9ply, 25mm/11ply

TECHNICAL SPECIFICATIONS

Standard – AS/NZS 2269

Wood Raw Material – Pinus Radiata

Density – average 500kg/m³

Class – Softwood, non-durable

Glue Bond – A Bond Exterior

Glue Formaldehyde Emissions –
E0 < 0.3mg/L, (AS/NZS 2098.11).

FINISHING

We recommend that both faces and all edges of the uncoated plywood are coated.

COLOUR CONSISTENCY

It is not possible to guarantee an absolute consistency in colour of plywood between sheets. A slight variation between sheets cannot be considered a defect. Check sheets before commencing your project.

EXPOSURE TO WATER AND SUNLIGHT

Direct or indirect light will have an effect on plywood products. A change in colour and appearance over time is a natural characteristic, and not considered a defect.

HANDLING AND STORAGE

Plywood is a natural product that can be affected by changes in weather, causing previously flat sheets to bow or twist. All precautions are taken to minimise this effect, however once the plywood has left our warehouse we cannot guarantee sheets to remain flat. Avoid leaning sheets against walls. Store where construction traffic and activity will not damage sheets. Keep the surface free of contaminants such as dust, oil and adhesives.

The storage area should be protected from sun, rain and wind to minimise rapid changes in temperature and humidity. Treat sheets as a finished product and avoid dragging sheets across other surfaces.



NZ Radiata Pine Decorative



PLYTECH SHOWROOM

26 Business Parade North, PO Box 204-070, Highbrook, Auckland 2161, New Zealand. Phone: 09 573 5016, Fax: 09 573 5035

sales@plytech.co.nz

While every endeavour has been made to ensure that all information contained in this product sheet is accurate, it is intended to be used as a guide line only. We reserve the right to amend specifications without notice. Product Warranty is as per our Standard Terms and Conditions of Trade.

plytech