

Plytech Hoop Pine BS1088

Plytech Hoop Pine BS1088 Marine Ply is manufactured from 100% plantation grown and managed Hoop Pine logs. Plytech Hoop Pine BS1088 Marine is manufactured from selected species based on density, bending strength, impact resistance and surface finishing characteristics and possesses a stress grade of F17. Hoop Pine is a designated marine specie.



Applications:

In the construction of boats, boat interiors, joinery and furniture.

Features:

Light-coloured with a straight grain and fine to very fine texture.

Technical Specifications:

Standard – British Standard 1088
Faces – A-A
Wood Raw Material – Australian Hoop Pine
Density – average 600kg/m³
Class – Softwood, non-durable
Glue Bond – A Bond Exterior
Glue Formaldehyde Emission – Class Super E0 < 0.3mg/L (AS/NZS 2098.11).

Environment:

Quality Management Standard: EN 45011:1989
Glue Formaldehyde Emissions: E0.

Dimensions:

2400 x 1200mm (Length x Width)
Thickness
4mm/3ply, 6mm/5ply, 9.5mm/7ply, 12.5mm/7ply, 16mm/9ply

Handling and Storage:

Plywood is a natural product that can be affected by changes in ambient weather conditions, causing previously flat sheets to bow or twist. All precautions are taken to minimise this effect, however once the plywood has left our warehouse we cannot guarantee sheets to remain flat. This is particularly important where free standing kitchen/ cabinet doors are concerned.

For further information contact us on **0800 900 905**

While every endeavour has been made to ensure that all information contained in this product sheet is accurate, it is intended to be used as a guide line only. We reserve the right to amend specifications without notice. Product Warranty is as per our Standard Terms and Conditions of Trade. Please contact us for further detailed information.

plytech
CREATIVE STRENGTH